

and/or compensation trips must be completed within the fishing year for which the research grant was awarded.

(4) Research projects will be conducted in accordance with provisions approved and provided in an Exempted Fishing Permit (EFP) issued by the Regional Administrator.

(5) If a proposal is disapproved by the NEFSC Director or the NOAA Grants Office, or if the Regional Administrator determines that the allocated research quota cannot be utilized by a project, the Regional Administrator shall reallocate the unallocated or unused amount of research quota to the respective commercial and recreational fisheries by publication of a notice in the FEDERAL REGISTER in compliance with the Administrative Procedure Act, provided:

(i) The reallocation of the unallocated or unused amount of research quota is in accord with National Standard 1, and can be available for harvest before the end of the fishing year for which the research quota is specified; and

(ii) Any reallocation of unallocated or unused research quota shall be consistent with the proportional division of quota between the commercial and recreational fisheries in the relevant FMP and allocated to the remaining quota periods for the fishing year proportionally.

(6) Vessels participating in approved research projects may be exempted from certain management measures by the Regional Administrator, provided that one of the following analyses of the impacts associated with the exemptions is provided:

(i) The analysis of the impacts of the requested exemptions is included as part of the annual quota specification packages submitted by the MAFMC; or

(ii) For proposals that require exemptions that extend beyond the scope of the analysis provided by the MAFMC, applicants may be required to provide additional analysis of impacts of the exemptions before issuance of an EFP will be considered, as specified in the EFP regulations at § 648.12(b).

[76 FR 60616, Sept. 29, 2011, as amended at 76 FR 68656, Nov. 7, 2011; 76 FR 81848, Dec. 29, 2011; 77 FR 16480, Mar. 21, 2012]

§ 648.23 Mackerel, squid, and butterfish gear restrictions.

(a) *Mesh restrictions and exemptions.* Vessels subject to the mesh restrictions in this paragraph (a) may not have available for immediate use any net, or any piece of net, with a mesh size smaller than that specified in paragraphs (a)(1) and (a)(2) of this section.

(1) *Butterfish fishery.* Owners or operators of otter trawl vessels possessing 2,000 lb (0.9 mt) or more of butterfish harvested in or from the EEZ may only fish with nets having a minimum codend mesh of 3 inches (76 mm) diamond mesh, inside stretch measure, applied throughout the codend for at least 100 continuous meshes forward of the terminus of the net, or for codends with less than 100 meshes, the minimum mesh size codend shall be a minimum of one-third of the net, measured from the terminus of the codend to the headrope.

(2) *Longfin squid fishery.* Owners or operators of otter trawl vessels possessing longfin squid harvested in or from the EEZ may only fish with nets having a minimum mesh size of 2½ inches (54 mm) during Trimesters I (Jan–Apr) and III (Sept–Dec), or 1⅞ inches (48 mm) during Trimester II (May–Aug), diamond mesh, inside stretch measure, applied throughout the codend for at least 150 continuous meshes forward of the terminus of the net, or, for codends with less than 150 meshes, the minimum mesh size codend shall be a minimum of one-third of the net measured from the terminus of the codend to the headrope, unless they are fishing consistent with exceptions specified in paragraph (b) of this section.

(i) *Net obstruction or constriction.* Owners or operators of otter trawl vessels fishing for and/or possessing longfin squid shall not use any device, gear, or material, including, but not limited to, nets, net strengtheners, ropes, lines, or chafing gear, on the top of the regulated portion of a trawl net that results in an effective mesh opening of less than 2½ inches (54 mm) during Trimesters I (Jan–Apr) and III (Sept–Dec), or 1⅞ inches (48 mm) during Trimester II (May–Aug), diamond mesh, inside stretch measure. “Top of the regulated

§ 648.23

portion of the net” means the 50 percent of the entire regulated portion of the net that would not be in contact with the ocean bottom if, during a tow, the regulated portion of the net were laid flat on the ocean floor. However, owners or operators of otter trawl vessels fishing for and/or possessing longfin squid may use net strengtheners (covers), splitting straps, and/or bull ropes or wire around the entire circumference of the codend, provided they do not have a mesh opening of less than 5 inches (12.7 cm) diamond mesh, inside stretch measure. For the purposes of this requirement, head ropes are not to be considered part of the top of the regulated portion of a trawl net.

(ii) *Jigging exemption.* During closures of the longfin squid fishery resulting from the butterflyfish mortality cap, described in § 648.26(c)(3), vessels fishing for longfin squid using jigging gear are exempt from the closure possession limit specified in § 648.26(b), provided that all otter trawl gear is stowed as specified in paragraph (b) of this section.

(3) *Illex fishery.* Seaward of the following coordinates, otter trawl vessels possessing longfin squid harvested in or from the EEZ and fishing for *Illex* during the months of June, July, August, in Trimester II, and September in Trimester III are exempt from the longfin squid gear requirements specified in paragraph (a)(2) of this section, provided that landward of the specified coordinates they do not have available for immediate use, as defined in paragraph (b) of this section, any net, or any piece of net, with a mesh size less than 1½ inches (48 mm) diamond mesh in Trimester II, and 2½ inches (54 mm) diamond mesh in Trimester III, or any piece of net, with mesh that is rigged in a manner that is prohibited by paragraph (a)(2) of this section.

Point	N. lat.	W. long.
M1	43°58.0'	67°22.0'
M2	43°50.0'	68°35.0'
M3	43°30.0'	69°40.0'
M4	43°20.0'	70°00.0'
M5	42°45.0'	70°10.0'
M6	42°13.0'	69°55.0'
M7	41°00.0'	69°00.0'
M8	41°45.0'	68°15.0'
M9	42°10.0'	67°10.0'
M10	41°18.6'	66°24.8'
M11	40°55.5'	66°38.0'
M12	40°45.5'	68°00.0'

50 CFR Ch. VI (10–1–12 Edition)

Point	N. lat.	W. long.
M13	40°37.0'	68°00.0'
M14	40°30.0'	69°00.0'
M15	40°22.7'	69°00.0'
M16	40°18.7'	69°40.0'
M17	40°21.0'	71°03.0'
M18	39°41.0'	72°32.0'
M19	38°47.0'	73°11.0'
M20	38°04.0'	74°06.0'
M21	37°08.0'	74°46.0'
M22	36°00.0'	74°52.0'
M23	35°45.0'	74°53.0'
M24	35°28.0'	74°52.0'

(b) *Definition of “not available for immediate use.”* Gear that is shown not to have been in recent use and that is stowed in conformance with one of the following methods is considered to be not available for immediate use:

(1) *Nets*—(i) *Below-deck stowage.* (A) The net is stored below the main working deck from which it is deployed and retrieved;

(B) The towing wires, including the leg wires, are detached from the net; and

(C) It is fan-folded (flaked) and bound around its circumference.

(ii) *On-deck stowage.* (A) The net is fan-folded (flaked) and bound around its circumference;

(B) It is securely fastened to the deck or rail of the vessel; and

(C) The towing wires, including the leg wires, are detached from the net.

(iii) *On-reel stowage.* (A) The net is on a reel, its entire surface is covered with canvas or other similar opaque material, and the canvas or other material is securely bound;

(B) The towing wires are detached from the net; and

(C) The codend is removed and stored below deck.

(iv) *On-reel stowage for vessels transiting the Gulf of Maine Rolling Closure Areas, the Georges Bank Seasonal Area Closure, and the Conditional Gulf of Maine Rolling Closure Area.*

(A) The net is on a reel, its entire surface is covered with canvas or other similar opaque material, and the canvas or other material is securely bound;

(B) The towing wires are detached from the doors; and

(C) No containment rope, codend tripping device, or other mechanism to close off the codend is attached to the codend.

(2) *Scallop dredges.* (i) The towing wire is detached from the scallop dredge, the towing wire is completely reeled up onto the winch, the dredge is secured, and the dredge or the winch is covered so that it is rendered unusable for fishing; or

(ii) The towing wire is detached from the dredge and attached to a bright-colored poly ball no less than 24 inches (60.9 cm) in diameter, with the towing wire left in its normal operating position (through the various blocks) and either is wound back to the first block (in the gallows) or is suspended at the end of the lifting block where its retrieval does not present a hazard to the crew and where it is readily visible from above.

(3) *Hook gear (other than pelagic).* All anchors and buoys are secured and all hook gear, including jigging machines, is covered.

(4) *Sink gillnet gear.* All nets are covered with canvas or other similar material and lashed or otherwise securely fastened to the deck or rail, and all buoys larger than 6 inches (15.24 cm) in diameter, high flyers, and anchors are disconnected.

(5) *Other methods of stowage.* Any other method of stowage authorized in writing by the Regional Administrator and subsequently published in the FEDERAL REGISTER.

(c) *Mesh obstruction or constriction.* The owner or operator of a fishing vessel shall not use any mesh construction, mesh configuration, or other means that effectively decreases the mesh size below the minimum mesh size, except that a liner may be used to close the opening created by the rings in the aftermost portion of the net, provided the liner extends no more than 10 meshes forward of the aftermost portion of the net. The inside webbing of the codend shall be the same circumference or less than the outside webbing (strengtheners). In addition, the inside webbing shall not be more than 2 ft (61 cm) longer than the outside webbing.

[76 FR 60618, Sept. 29, 2011, as amended at 77 FR 16479, Mar. 21, 2012; 77 FR 51865, Aug. 27, 2012]

§ 648.24 Fishery closures and accountability measures.

(a) *Fishery closure procedures*—(1) *Longfin squid.* NMFS shall close the directed fishery in the EEZ for longfin squid when the Regional Administrator projects that 90 percent of the longfin squid quota is harvested in Trimesters I and II, and when 95 percent of the longfin squid DAH has been harvested in Trimester III. The closure of the directed fishery shall be in effect for the remainder of that fishing period, with incidental catches allowed as specified at § 648.26.

(i) If the Regional Administrator determines that the Trimester I closure threshold has been under-harvested by 25 percent or more, then the amount of the underharvest shall be reallocated to Trimester II and Trimester III, as specified at § 648.22(f)(2), through notice in the FEDERAL REGISTER.

(ii) [Reserved]

(2) *Illex.* NMFS shall close the directed *Illex* fishery in the EEZ when the Regional Administrator projects that 95 percent of the *Illex* DAH is harvested. The closure of the directed fishery shall be in effect for the remainder of that fishing period, with incidental catches allowed as specified at § 648.26.

(b) *Mackerel AMs*—(1) *Mackerel commercial sector EEZ closure.* NMFS shall close the commercial mackerel fishery in the EEZ when the Regional Administrator projects that 95 percent of the mackerel DAH is harvested, if such a closure is necessary to prevent the DAH from being exceeded. The closure of the commercial fishery shall be in effect for the remainder of that fishing year, with incidental catches allowed as specified in § 648.26. When the Regional Administrator projects that the DAH for mackerel will be landed, NMFS shall close the commercial mackerel fishery in the EEZ, and the incidental catches specified for mackerel in § 648.26 will be prohibited.

(2) *Mackerel commercial landings overage repayment.* If the mackerel ACL is exceeded, and commercial fishery landings are responsible for the overage, then landings in excess of the DAH will be deducted from the DAH the following year, as a single-year adjustment to the DAH.